



visiPad® TT22 Panel PC

The name visiPad® stands for design and pure flexibility.

No wishes remain unfulfilled with the integrated loud speakers and microphone, an infrared receiver or the touch screen which can optionally include a water resistant and reflective coated glass surface.

Classic also meets high tech as far as the materials are concerned: The visiPad® TT22 presents itself in a stylish and puristic way with completely continuous touch glass – the only design element which is visible after flush mounting, incredibly elegant!

Individual performance - the new visiomatic® TT-series is more than an ergonomic panel for the visiomatic® Home System, it is also an element of multi-media presentation and a home cinema combined in one device. You will simply see more with the visiPad® TT-series! Now also available in a large size of up to 65" wide screen format.

Display size	22 inch (1680x3(RGB) x 1050 pixel)
Active Area	470 mm (H) x 300 mm (V)
Dimension	600 mm x 510 mm x 44 mm
Support Color	16,7 M colors (6-bits+HiFRC)
Touch Screen	Capacitive, through glass touch technology
Front	Through Touch Glass, security protected
Electrical Interface	Dual channel LVDS
White Luminance	300 cd/m ² @ 7,5 mA
Nominal Input Voltage VDD	+ 5
Input connectors	Power 12V/min. 5 A, 2x RJ45, integrated
Motherboard	Jetway JNF95A-270-LF, Processor Intel Atom N270 1,6GHz
SSD	32 GB
RAM	2048 MB DDR2
Power consumption	~40 W / 12VDC
Microphone	Inbuilt
Loudspeakers	Bottom integrated, Stereo
Video camera	Integrated on demand: CCD color camera, high quality, auto brightness adjust, mounted behind glass shield
Material	Front: glass, optional safety glass Body: stainless steel brushed

Color	Standard: silver (ORACAL 651 – 090)
Operating temperature	0°C – 55°C (32°F – 131°F)
Humidity (operating)	5% - 95% non-condensing
Mounting	On-Wall or in-Wall. Optional adapter VESA-100 or VESA-200
Weight	15 kg